

## **Ricambi Nastratrici e Teste Nastranti - Mapi24.it**

[I prodotti posso essere richiesti a questo form.](#)

| <b>Articolo</b> | <b>Descrizione</b>                    |
|-----------------|---------------------------------------|
| RI-78805267131  | Ring - Polyurethane                   |
| RI-78801791738  | Knife - 65Mm/2.56 Inch                |
| RI-78802878997  | Knife - 89Mm/3.5 Inch                 |
| RI-78801790748  | Washer - Nylon 15 mm                  |
| RI-78807012691  | Bumper                                |
| RI-78801791324  | Pivot-cutter lever                    |
| RI-78813714389  | Roller - Applying Assembly (50 mm)    |
| RI-78812961478  | Bearing - Polyamide Coated 28x6x7,5x8 |
| RI-26100358295  | Screw Hex.Hd.M6x12                    |
| RI-26100455109  | Washer tape drum                      |
| RI-78806079360  | Brush assy                            |
| RI-78807012741  | Spring - Upper (silver)               |
| RI-78813713928  | Roller - Assembly Applying (75 mm)    |
| RI-78813713985  | Roller - Buffing Assembly (50 mm)     |
| RI-78805266000  | Spacer                                |
| RI-78805266026  | Spring - Cutter                       |
| RI-78805265671  | Spring - Compression                  |
| RI-78812963128  | Screw - bearing                       |
| RI-78807012733  | Spring - Lower (black)                |
| RI-78807015314  | Belt - Drive, With Hook               |
| RI-78813763030  | DRIVING BELT WITH HOOK 75x1910+- 3.5  |
| RI-78813713977  | Roller - Buffing Assembly (75 mm)     |
| RI-78801790821  | Bearing special                       |
| RI-78806081796  | Screw - Flat Head Hex, M6 x 20        |
| RI-78813763881  | Bearing - Polyamide Coated 33x6x7,5x8 |
| RI-78810011623  | Strap - Safety                        |
| RI-78812963136  | Washer - Galvanized                   |
| RI-26100358287  | Screw flat HD M6x10 zinc.             |

|                |  |
|----------------|--|
| RI-78807647371 | Roller Assembly - Knurled                                |
| RI-78810010484 | Molla portarotolo  |
| RI-78806078180 | Screw - Hex HD. M4x12                                    |
| RI-78812963144 | Washer - Special. 18/7                                   |
| RI-78806081721 | Washer friction  |
| RI-78811370309 | Spring - torsion   |
| RI-78807645003 | Stud - Mounting  |
| RI-78801790771 | Dado autobloccante M10x1                                 |
| RI-78805262710 | Washer tape drum   |
| RI-78801791068 | Screw - Bearing shoulder                                 |
| RI-78806841447 | Guide - N.2  |
| RI-26100016133 | Ring - Retaining, Tru-Arc 1-420-0120-100                 |
| RI-78807646258 | Screw TMTCR M5X16  |
| RI-78806841439 | Guide - N.1  |
| RI-26100547574 | Screw flat   |
| RI-78805265754 | Shaft - 10x60 w/hexagon                                  |
| RI-26100547582 | Screw - flat HD, Soc.Dr. M4x10                           |
| RI-78805486178 | BEARING SPECIAL /33-8-6                                  |
| RI-78809888270 | Porta rotolo da 50 mm - Tape Drum w/ latch - 2 inch Wide |
| RI-78813779499 | Handle Assembly - Height Adjusting                       |
| RI-78805761786 | Roller - Buffing Nm (50 mm)                              |
| RI-78807012444 | Holder - Spring  |
| RI-78805757248 | Belt - Timing 187L050 Boran                              |
| RI-78805488414 | Cinghia trascinamento mm 75x2956 per 120AF               |
| RI-78805488778 | Washer - 5.5/20X4  |
| RI-78802882445 | Key - 4X4X10mm   |
| RI-78805757396 | Key - 5X5X30mm   |
| RI-78810010096 | Washer - Special   |
| RI-78807013715 | Blade Guard assembly                                     |
| RI-78813779903 | Damper - support assembly                                |
| RI-78801074168 | Nut-metric, HEX, Steel M4                                |
| RI-78806083958 | Bushing-Applying Roller                                  |

|                |                                      |
|----------------|--------------------------------------|
| RI-78805489800 | Pulley - Timing Belt                 |
| RI-78805758089 | TIMING BELT 187L100                  |
| RI-78807654526 | Belt - Box Drive                     |
| RI-78813779861 | Rear Sliding Plane                   |
| RI-78807013673 | Roller Knurled Assy                  |
| RI-78801791696 | Nut - M18x1                          |
| RI-78807012923 | Plate - Back-Up                      |
| RI-78805487994 | Roller - Wrap                        |
| RI-78813708316 | Damper - sliding column              |
| RI-78805485774 | Washer - Special                     |
| RI-78805489792 | Housing - Bearing                    |
| RI-78805489818 | Sprocket - 3/8 Pitch 11 Teeth        |
| RI-78805489867 | Sprocket - 3/8" Pitch 28 Teeth       |
| RI-78805758113 | Key - 6X6X20mm                       |
| RI-78801790664 | Screw - Metric, M5X12                |
| RI-78813782246 | Lever                                |
| RI-78813396153 | Bumper                               |
| RI-78813763469 | Cap                                  |
| RI-78807015298 | Support - Shaft                      |
| RI-78807645110 | Cap - Front R/H                      |
| RI-78807645128 | Cap - Front, L/H                     |
| RI-78807647348 | Bumper                               |
| RI-78807647389 | Roller - Wrap                        |
| RI-78812963110 | Plate                                |
| RI-78801791332 | Bumper                               |
| RI-78805265978 | Shaft - blade guard                  |
| RI-78805488018 | Shaft - 10 x 85, W/Hexagon           |
| RI-78807652421 | Stop - Cut-Off Frame                 |
| RI-78807012667 | Roller wrap                          |
| RI-78809888296 | Tape Drum Sub Assembly - 3 Inch Wide |
| RI-78806079410 | Pin, Spring Holder w/slots           |
| RI-26100358410 | Screw M8x16                          |

|                |  |
|----------------|--|
| RI-78805265697 | Roller wrap                                  |
| RI-78805267222 | Cinghia trascinamento 700AKS                 |
| RI-78805489784 | Pulley w/Bearing - 6203-2RS/17- 40-12 and BE |
| RI-78807647413 | Guard assembly - blade                       |
| RI-78813396419 | Tapre drum assembly 3in head                 |
| RI-78813783491 | FUSE 2A                                      |
| RI-78805266513 | Washer - Nylon                               |
| RI-78807013889 | Link - Arm Bushing Assembly                  |
| RI-78807013897 | Link - Arm Bushing Assembly                  |
| RI-78813777196 | SPRING POSITIONING PISTONS                   |
| RI-78813781164 | Screw - M5X12                                |
| RI-78801071693 | Screw-Metric, M6x12 Hex.Hd.                  |
| RI-78801790185 | Washer-metric, plain, M4 SPEC.               |
| RI-78805487978 | Roller - Top Tension                         |
| RI-78805488174 | Roller - Tension Bottom                      |
| RI-78806084162 | Nut - M20X1 Special                          |
| RI-78807012162 | Slide - extension                            |
| RI-78807013095 | Shaft Roller                                 |
| RI-78807013350 | Label - Warning Sharp Knife                  |
| RI-78807013954 | Bracket - Bushing Assembly                   |
| RI-78807015306 | Ball Bearing - Radial 6205-2RS, O.D. 52      |
| RI-78807645797 | Roller 32x492                                |
| RI-78807654773 | Washer - Special, 6.5 x 20 x 4               |
| RI-78811988019 | Light - BA9S 30v                             |
| RI-83000273363 | Screw - Hex HD M4x14 Zinc.PI                 |
| RI-78807012832 | Frame - Cut Off                              |
| RI-78813782915 | MOTOR PULLEY                                 |
| RI-78806077588 | Grommet                                      |
| RI-78807012170 | Frame - Cut off weldment                     |
| RI-78811370317 | Bushing - 59.5 mm long                       |
| RI-78813763550 | Knob - Elisa Din 464 M5X16                   |
| RI-78813782899 | Shaft  |

|                |                                    |
|----------------|------------------------------------|
| RI-78807651050 | Pulley - Motor                     |
| RI-78813706062 | Lockable Knob                      |
| RI-26100379499 | Screw Soc. Hd. Hex Soc. M5X12      |
| RI-78805267099 | Washer - Special                   |
| RI-78805487986 | Shaft - Wrap Roller                |
| RI-78807645177 | End Cap /22X1                      |
| RI-78807647363 | Shaft Roller                       |
| RI-78810010450 | Roller - Buffing, /44              |
| RI-78813707805 | Circuit Breaker-0.63-1A            |
| RI-78813763790 | Column - Central Block             |
| RI-78813780174 | Knob - B.193/25 B-M6 Elisa         |
| RI-78813781057 | Nut, plastic insert M10 Hex Flange |
| RI-78801658556 | E-ring 10 mm.                      |
| RI-78805489826 | Pulley - Timing 11 Teeth           |
| RI-78807650573 | Reflector - CTR E39-R1             |
| RI-78809888288 | Tape Drum                          |
| RI-78805487960 | Shaft - Tension Roller             |
| RI-78813779481 | Chain - 3/8 P=37                   |
| RI-78813782253 | Support                            |
| RI-78813782907 | Bushing /25/32X37.3                |
| RI-78809107994 | Shaft - 10 x 85, W/Hexagon         |
| RI-78809888163 | Lock - Core Holder                 |
| RI-78813782881 | Screw - M6X16                      |
| RI-26000158621 | Screw, flat hd soc.M5x12           |
| RI-78805507189 | Chain - 3/8 Pitch 55 Pitch Long    |
| RI-78806078511 | Ring nut, adjusting                |
| RI-78807648650 | Belt - Box Drive                   |
| RI-78809888304 | Leaf - Spring 3"                   |
| RI-78813709660 | Chain                              |
| RI-78805266067 | Roller - Tension Bottom            |
| RI-78806081408 | Timing Belt 160xL050               |
| RI-78807012204 | Spacer -spring                     |

|                |   |
|----------------|---|
| RI-78807012212 | Plate - tape                                      |
| RI-78813736168 | Vite TCEI M6x60 Zincata F144                      |
| RI-78813763832 | Hinge - Type D5032-A SMC                          |
| RI-78813782923 | Screw Soc. HD. Hex. HD. M6x16                     |
| RI-78801071933 | Screw-Metric, M6x20, Hex.Hd.                      |
| RI-78805488380 | Pressure gauge                                    |
| RI-78806079378 | Spacer - 6,5/14X12,5                              |
| RI-78807645318 | Shaft - Timing Pulley                             |
| RI-78807645680 | Key - 7X8X25                                      |
| RI-78807645706 | Key - 6X6X15                                      |
| RI-78807647264 | Tape threading tool (white)                       |
| RI-78807649328 | Lock - Wing                                       |
| RI-78811449533 | Belt - toothed, 240L050                           |
| RI-78813705353 | Shaft - Roller Entry                              |
| RI-78813705361 | Tube - Roller Entry                               |
| RI-78813763543 | Contact - NC Front Screw M22-K01                  |
| RI-78813777048 | Silencer - MWSPL-F 1/8                            |
| RI-78813777154 | Spacer - Infeed Rollers                           |
| RI-78813778525 | Cable Chain Bracket                               |
| RI-78813782261 | CHAIN 64p 3/8"x7/32"                              |
| RI-78813782816 | Set screw M5x6                                    |
| RI-78801793189 | Washer-plain-metric 8MM                           |
| RI-78805267180 | Motor - 220/415v, 50 Hz, 3 Phase                  |
| RI-78805488067 | Spacer  |
| RI-78805761810 | Roller Applying                                   |
| RI-78806084626 | Shaft - Tape Drum 3in Head                        |
| RI-78807645573 | Lever - Front                                     |
| RI-78807647744 | Spring  |
| RI-78811449095 | Belt - timing 188XL050                            |
| RI-78813395213 | Arm - Applying, L/H                               |
| RI-78801791357 | Shaft - spacer                                    |
| RI-78801878816 | Belt Timing 21 L050 - Cinghia per nastratrice A80 |

|                |   |
|----------------|---|
| RI-78805265655 | Roller top tension                              |
| RI-78805265861 | BUSHING - BUFFING ROLLER                        |
| RI-78805267107 | ROLLER - IDLER                                  |
| RI-78805761802 | Roller - Buffing Nm (75 mm)                     |
| RI-78806082042 | Screw - Hex.HD. M6x12                           |
| RI-78806083156 | Washer - Friction (75 mm)                       |
| RI-78807012519 | Spacer - Spring                                 |
| RI-78809461359 | Brush assembly                                  |
| RI-78809461532 | Roller - Applying                               |
| RI-78809461557 | Roller - Buffing /27                            |
| RI-78813179655 | Cleat   |
| RI-78813705916 | Shaft   |
| RI-78813733041 | Shaft - pivot, buffing                          |
| RI-78813782188 | Top Cover - Emergency Button                    |
| RI-78813783574 | Sliding Column w/Nutzers (new code 78813786510) |
| RI-78801011276 | Drive Belt - 55 mm high                         |
| RI-78805488133 | Shaft-blade guard                               |
| RI-78807646480 | Box Guide Assembly                              |
| RI-78813733116 | Spring - Upper (100 fpm)                        |
| RI-78813763451 | Bracket - Tape Head Arm                         |
| RI-78813763535 | Release - Emergency Button                      |
| RI-78813779580 | Photocell - Polarized M18 PNP 3MT               |
| RI-78813782311 | Support - Proximity                             |
| RI-78813785231 | Polarized photocell M18 24VDC                   |
| RI-26100000103 | Washer Flat M6                                  |
| RI-26100379648 | Screw - M8x20                                   |
| RI-26100568976 | Hose Connector                                  |
| RI-78805265648 | Shaft - Tension Roller                          |
| RI-78805265689 | Shaft - Wrap Roller                             |
| RI-78805487838 | Washer - Special                                |
| RI-78805488232 | Washer - Bumper                                 |
| RI-78805956170 | Set Screw M6X8                                  |

|                |                                  |
|----------------|----------------------------------|
| RI-78806077117 | Screw Soc. HD. Hex. HD. M4x30    |
| RI-78806079006 | Union                            |
| RI-78807012717 | Shaft - Pivot                    |
| RI-78807015181 | Spacer - Shaft                   |
| RI-78807015199 | Screw - Soc.Hd. Hex.Hd. M8X70    |
| RI-78807645524 | Ring Nut - Rod                   |
| RI-78807645672 | Pivot - Infeed                   |
| RI-78807648908 | Elbow KqI 06-01S                 |
| RI-78807654138 | Spring (400CF)                   |
| RI-78809103159 | Elbow - 3199.08.13               |
| RI-78809463843 | Clamp                            |
| RI-78809888148 | Tape drum assembly - 2 inch head |
| RI-78811449079 | Spring - Blade guard             |
| RI-78813705999 | Roller                           |
| RI-78813707821 | Spacer                           |
| RI-78813707839 | Undervoltage coil 220VAC 50Hz    |
| RI-78813707862 | Undervoltage coil 415VAC 50Hz    |
| RI-78813763758 | Fixed Column With Strip          |
| RI-78813763774 | Cylinder Connection Bracket      |
| RI-78813763782 | Mounting - Rod 700R              |
| RI-78813763808 | Column - Central Block           |
| RI-78813763840 | Cover-Columns                    |
| RI-78813763980 | Pressure regulator 7000R         |
| RI-78813777014 | Coil - 22 diam 8 Ba 2W-24Vdc Ur  |
| RI-78813777295 | Ftc Cover with nutsers           |
| RI-78813777311 | Supp. Dx FTC                     |
| RI-78813777329 | Supp. Sx FTC                     |
| RI-78813778509 | Bottom Drive Belt Tensioner Ass. |
| RI-78813779069 | Column Fixing Bracket            |
| RI-78813779572 | Valve V3V Syl                    |
| RI-78813779887 | Columns Cylinders Buffer 7000R   |
| RI-78813779895 | Rondella cilingri colonne 7000r  |

|                |                                      |
|----------------|--------------------------------------|
| RI-78813781206 | Washer- Flat M6                      |
| RI-78813781263 | Washer - Plain, M10                  |
| RI-78813782212 | Protezione 107X129 L=139 motore      |
| RI-78813783590 | Protezione colonna scorrevole 7000R  |
| RI-78813792982 | Bottom Drive Belt Tensioner Ass.     |
| RI-78802882148 | Washer                               |
| RI-78805489875 | Chain-3/8" pitch,57 pitch long       |
| RI-78806083966 | Bushing-Applying Roller              |
| RI-78813707789 | Circuit Breaker-1-1.6A               |
| RI-78813707854 | Undervoltage coil 400VAC 50Hz        |
| RI-78813737810 | Belt-timing 250 L 075                |
| RI-78813777204 | Proximity sensor M12                 |
| RI-78813777345 | Contact - 24VDC DILM7-10             |
| RI-78813779549 | Silencer - MWSPL-F 1/8               |
| RI-78813779564 | Air Pressure Assembly - 24VDC        |
| RI-78813779721 | Fotocellula 24V PNP M12 E3F1-RP21    |
| RI-78813779846 | Infeed Bracket                       |
| RI-78813780794 | Push Button - Start/Stop Black/White |
| RI-26100258172 | Screw - Hex HD M5x8 Zinc             |
| RI-26100553168 | Screw flat HD Hex DR.M5X16           |
| RI-26100865745 | Screw - flat hd, phil. dr M4x10      |
| RI-78800557411 | Washer - Flat, M5                    |
| RI-78805265606 | Spacer - Front                       |
| RI-78805265879 | Spacer - Spring for 3M-Matic 12af    |
| RI-78805265945 | Bushing - Pivot                      |
| RI-78805487861 | Chain Connector                      |
| RI-78805487887 | Chain Connector                      |
| RI-78806075194 | Screw M3x25                          |
| RI-78806082869 | Support - Bumper                     |
| RI-78806083545 | Spring - Compression (75 mm)         |
| RI-78806084741 | Tape drum 50 mm - no latch           |
| RI-78807645714 | Sprocket                             |

|                |   |
|----------------|---|
| RI-78807650029 | Screw flat HD M4x30                                       |
| RI-78809107259 | Flange  |
| RI-78809887496 | Drum - 2" Latching w/spacer                               |
| RI-78809888320 | Tape Drum Assy - Latched w/Shaft                          |
| RI-78810008595 | Belt - Box Drive  |
| RI-78810010492 | Guard - Head  |
| RI-78810012365 | Carrello Tendicinghia right assem 200a-700a-70            |
| RI-78811370606 | BUSHING - 84.7 mm LONG                                    |
| RI-78813395098 | Applying Arm N.1 - Accuglide 3 2"                         |
| RI-78813395106 | Applying Arm N.2 - Accuglide 3 2"                         |
| RI-78813705056 | Shaft - Roller (75 mm)                                    |
| RI-78813707847 | Undervoltage coil 240VAC 50Hz                             |
| RI-78813732985 | Shaft - Pivot 90 mm                                       |
| RI-78813733025 | Link - assembly   |
| RI-78813733058 | Spacer - Applying pivot                                   |
| RI-78813733066 | Shaft - Pivot applying                                    |
| RI-78813733074 | Cut-off bracket for AG3 2" head                           |
| RI-78813733082 | Slide - extension   |
| RI-78813761083 | Locking unit  |
| RI-78813761133 | Bearing support   |
| RI-78813761516 | Washer - flat 6,5 ID x 15 OD                              |
| RI-78813778673 | Right shoulder 6 rollers plane 3M                         |
| RI-78813778699 | Left shoulder 6 rollers plane 3M                          |
| RI-78813778707 | Plane joint plate 700a-700r/3M                            |
| RI-78813779531 | Upper assembly solenoid valve                             |
| RI-78813782592 | power supply 24V 3A                                       |
| RI-78813783046 | FUSE 0,5A   |
| RI-78813783343 | Sliding Columns Cylinder Assembly                         |
| RI-78813783426 | Lower Plate - Roller Bed w/Nutzers (new code 78813786387) |
| RI-26100388169 | Screw, set M5X6   |
| RI-78801793130 | Nut Self Locking M8 Nick Pl.                              |
| RI-78804229199 | Washer - Tripler, M6                                      |

|                |  |
|----------------|--|
| RI-78805265804 | Spacer - Rear                                |
| RI-78807015744 | Slide - Front, right                         |
| RI-78807015751 | Slide - Front, left                          |
| RI-78807015769 | Slide - Rear, right                          |
| RI-78807015777 | Slide - Rear, left                           |
| RI-78807645185 | Spacer Bearing                               |
| RI-78810010500 | Spacer - Bracket                             |
| RI-78811449772 | Roller Compression                           |
| RI-78813423767 | Blade Holder                                 |
| RI-78813708639 | Motor Drive Block                            |
| RI-78813733009 | Buffing Arm - Sub Assembly                   |
| RI-78813733017 | Buffing Arm - Sub Assembly                   |
| RI-78813761067 | Shaft for Gear motor                         |
| RI-78813777352 | Timer - H3DK-S1 24-220V C.A./C.C             |
| RI-78813778939 | Electrical Box - Yellow M22-IY1              |
| RI-78813779523 | Regulator - Columns Cylinders                |
| RI-78813781073 | Screw HEX HD M5x16                           |
| RI-78813781404 | Supporto gruppo filtro regolatore 7000r      |
| RI-78813782527 | Apr SY without bush                          |
| RI-78813782840 | Protezione riduttore 7000R-NF                |
| RI-78813782865 | Piastra ant. Supp. Ridutt. Sup. 7000R-NF     |
| RI-78813782873 | Screw HEX HD 6x30                            |
| RI-78813782964 | Cover  |
| RI-78813784978 | Carter protezione cinghia superiore sx 7000r |
| RI-0380530341  | Molla a flessione per guarnizione di eme     |
| RI-26100198436 | Screw flat soc hd.M6x16                      |
| RI-26100249551 | Screw-selt tapping, 8PX13                    |
| RI-26100379531 | Screw - M5x30                                |
| RI-26100379572 | Screw  |
| RI-78804681357 | Key - 5X512mm                                |
| RI-78805265705 | Guide  |
| RI-78805265929 | Lever K9-3M                                  |

|                |  |
|----------------|--|
| RI-78805265960 | Guard - blade                              |
| RI-78805487523 | Shaft - 6X33MM                             |
| RI-78805487564 | Shaft 6x46 mm                              |
| RI-78805487846 | Block - Chain                              |
| RI-78805487853 | Rod - Threaded Right/Left                  |
| RI-78805487879 | Chain - Link                               |
| RI-78805488786 | Shaft - Pulley Keyed                       |
| RI-78805488877 | Shaft - Pulley Wrap                        |
| RI-78805489131 | Shaft - Roller                             |
| RI-78805506686 | Washer, 15/26X1                            |
| RI-78805506694 | Shaft-pulley keyed                         |
| RI-78806079394 | Spacer - 10 x 115 W/Slots                  |
| RI-78806080053 | Sprocket - 3/8", 11 teeth                  |
| RI-78806080111 | Puleggia motrice dentata assembly per 200a |
| RI-78806080194 | Sprocket- 3/8 Pitch 28 teeth               |
| RI-78806080871 | Screw - M5x10                              |
| RI-78806080913 | VALVE - FESTO R/0-3-PK-3                   |
| RI-78806084311 | Motor 220V 50/60HZ 1PH                     |
| RI-78806084337 | Spring - torsion                           |
| RI-78806084881 | Screw - Hex. HD. M5X20                     |
| RI-78806745003 | Stud - Mounting                            |
| RI-78807012063 | Arm - Applying, R/H                        |
| RI-78807012071 | Arm - Applying, L/H                        |
| RI-78807013913 | Buffing Arm Sub Assembly                   |
| RI-78807013921 | Buffing Arm Sub Assembly                   |
| RI-78807015462 | Cap - Guide                                |
| RI-78807015975 | Chain 62P - 3/8                            |
| RI-78807645193 | Shaft - Tape Drum                          |
| RI-78807652215 | Relay - HC4-24V DC SERIE "L"               |
| RI-78807654401 | Pulley Assembly-drive                      |
| RI-78807654419 | Roller-drive                               |
| RI-78807654427 | Flange assy-ball bearing 6002- 2rs, o. d.  |

|                |  |
|----------------|--|
| RI-78807951559 | Belt - Timing 210L100                        |
| RI-78809103829 | Belleville Washer /16                        |
| RI-78809461474 | Shaft /10                                    |
| RI-78809461516 | Washer                                       |
| RI-78809463702 | Bushing - Applying roller                    |
| RI-78809463868 | Spare Kit - Double Switch                    |
| RI-78810011276 | Drive belt - 55 mm high (800rf)              |
| RI-78810012373 | Belt Tensioning Assy - L/H                   |
| RI-78811446166 | Spring - main bottom                         |
| RI-78813711583 | Tape Drum Bracket Assembly                   |
| RI-78813733124 | Spring - Lower (75 mm)                       |
| RI-78813737463 | Regolatore pressione 0-6 ATM assemblato      |
| RI-78813737471 | Regolatore pressione 0-10 ATM assemblato     |
| RI-78813737786 | Puleggia motrice dentata ass                 |
| RI-78813739873 | Roller                                       |
| RI-78813761091 | Roller conveyor for engine                   |
| RI-78813761125 | BEARING 61904 2Z mm20x37x9: Italy            |
| RI-78813779556 | Solenoid Valve Assembly                      |
| RI-78813780802 | Cover  |
| RI-78813780836 | BP 78813780836                               |
| RI-78813784499 | Chain 3/8" 58p close ring w/junction         |
| RI-78813784960 | Carter protezione cinghia superiore dx 7000r |
| RI-1430300140  | Scheda elettronica RJ_02CPU per robot wo     |
| RI-70006429982 | Kit con ruote A20/A70/R70                    |
| RI-78801071578 | Screw-Hex.HD M4x10                           |
| RI-78801790912 | Plate-locking, tape drum shaft               |
| RI-78805265895 | Spring - Top Ext                             |
| RI-78805488075 | BUSHING - BUFFING ROLLER                     |
| RI-78805508005 | Plate  |
| RI-78806080038 | Rear Motor Pulley Assy D=103                 |
| RI-78806080152 | Pulley 17xL050                               |
| RI-78806081473 | Double Assembled Pulley                      |

|                |  |
|----------------|--|
| RI-78806081671 | Bracket - Cut Off                        |
| RI-78807015280 | Shaft - Gearbox                          |
| RI-78807015322 | Plate - Front Inox                       |
| RI-78807015330 | Cover - Rear 200a Inox                   |
| RI-78807015447 | Guide - Right                            |
| RI-78807015538 | Spacer                                   |
| RI-78807015850 | Cover - rear                             |
| RI-78807645052 | Screw - M6x8                             |
| RI-78807645581 | Cam - Valve                              |
| RI-78807645722 | Stud - Joint                             |
| RI-78807645730 | Pin - Air Cylinder                       |
| RI-78807645755 | Cylinder - Air, /40X155                  |
| RI-78807646266 | Side Ass. pressing unit with no handle 7 |
| RI-78807646696 | Right Valve EVHS-4500 FO2-R X116 700r    |
| RI-78807646720 | Union - Straight, Female                 |
| RI-78807646779 | Valve V2A 5120-01                        |
| RI-78807650037 | Pulley PD10 XL37                         |
| RI-78807650045 | Washer 4.5/20x1                          |
| RI-78807651043 | Special nut M22X1,5 /8                   |
| RI-78807951500 | Frame - Front                            |
| RI-78807951518 | Frame - Rear                             |
| RI-78807951542 | Sprocket                                 |
| RI-78809103134 | Elbow - 3199.08.10                       |
| RI-78809461466 | Plate                                    |
| RI-78809461482 | Roller - Knurled                         |
| RI-78809461490 | Roller                                   |
| RI-78809461508 | Spacer - Hex                             |
| RI-78809461524 | Shaft /10X48                             |
| RI-78809461599 | Frame Cut-off weldment                   |
| RI-78809461623 | Shaft - Spring                           |
| RI-78809463785 | Motor - 3PH, 220/415V 50HZ H63 A4 KW 0.1 |
| RI-78810009569 | Filter / Regulator assembly              |

|                |                                  |
|----------------|----------------------------------|
| RI-78810010476 | Guard head - K13                 |
| RI-78810011516 | Actuator - Side Guide            |
| RI-78810011581 | Centering lever 700r             |
| RI-78810012381 | Belt Tensioning - R/H            |
| RI-78810012399 | Belt Tensioning - L/H            |
| RI-78811367925 | Guide - Left front w/label       |
| RI-78811989652 | Switch - Kta 3-25, 4-6.3 A.      |
| RI-78813395205 | Arm - Applying, R/H              |
| RI-78813419385 | Nut - M18x1                      |
| RI-78813423700 | Main spring                      |
| RI-78813423718 | Holder - Spring                  |
| RI-78813423882 | Main spring                      |
| RI-78813705189 | Tape drum assembly - 3 inch head |
| RI-78813736408 | Rod w/bearing                    |
| RI-78813737547 | Blocking Module Assembly         |
| RI-78813738776 | Profile 2600M                    |
| RI-78813739329 | Chain                            |
| RI-78813740145 | Shaft Roller                     |
| RI-78813740152 | Pilot Roller                     |
| RI-78813783053 | Transformer - 50VA 0-400V 0-24V  |
| RI-78813784259 | Undervoltage coil 220VAC 60Hz    |